The synopsis of the research work entitled

Toxicity and Environmental Impact of Engineered Nanomaterials: A Theoretical Study.

To be submitted by

Mr. Praveen Kumar kamti

Research Scholar

For the registration of the degree

Doctor of Philosophy

In Physics

Submitted to

Lalit Narayan Mithila University, Darbhanga

Under the guidance of

Dr. Arun Kumar Singh

Professor University Department of Physics

Lalit Narayan Mithila University, Darbhanga

Forwarded
Jaum
18/4/24

RESEARCH CONTENT FORMATE

18.04.24

Jaum
18.04.24

Prof. & Head
Univ. Dept. of Physics
Lalit Narayan Mithila University, Darbhanga

Name of Topic:- Toxicity and Environmental Impact of Engineered Nanomaterials: A Theoretical Study.

20/4/24
Dean
Faculty of Science
LNMU, Darbhanga

1. **Introduction: -** Environmental pollution is a serious threat to human health and planetary ecosystems. Because of the special qualities of nanoparticles, nanotechnology provides intriguing options for environmental restoration. In this work, we are going to investigate the application of nanotechnology to address a variety of environmental pollutants such as heavy metals, organic contaminants and emerging pollutants[1]. We will go over the fundamentals of nanomaterial-based remediation methods, including membrane filtration, photocatalysis, and adsorption and we will also highlight some of the most recent developments in this field. We will also look at the prospects and difficulties in applying nanotechnology to environmental remediation by taking into account factors like cost-effectiveness, scalability, and toxicity. All such things consider that nanotechnology has enormous promise for reducing environmental pollution and promoting global sustainable development initiatives.

2. **Review of literature and current status in this field in which the proposed work is undertaken:-**

The ecosystems and human well-being are seriously threatened by environmental contamination stemming from industrial operations, agricultural practices, and urbanization. Conventional clean-up techniques are proven these days as environmental toxins are complicated and are found on a large scale. Materials at the nanoscale have better reactivity, selectivity, and efficiency. Nanotechnology has become a potential strategy for environmental remediation in recent years. The excellent catalytic activity, variable surface chemistry, and high surface area-to-volume ratio of nanomaterials make them ideal for a wide range of remediation
applications.

Praveen kumar kamti
13-04-24

Jaum
18/4/24

Many contaminants, such as heavy metals, organic pollutants, pesticides, and pharmaceuticals, are addressed by the use of nanotechnology in environmental remediation[8]. More pollutant removal efficiency, decreased clean-up times, and other benefits are provided by nanomaterial-based procedures compared to standard remediation techniques.

Common remediation methods based on nanotechnology include membrane filtration with nanoscale pores, photocatalytic degradation with semiconductor nanoparticles, and adsorption onto nanostructured surfaces. Although nanotechnology has great promise, several obstacles need to be overcome before it can be widely used in environmental remediation projects. These difficulties include figuring out how designed nanoparticles travel through an environmental matrix over an extended period, evaluating the possible effects on human and ecological health, and guaranteeing the viability and affordability of nanotechnology-based remediation techniques. In this study, we summarise the fundamental ideas behind environmental remediation methods based on nanotechnology and highlight current developments in the field. To offer insights into potential future developments, we also go over the main obstacles and prospects related to the use of nanotechnology for environmental efforts for technology development and research prospects in this important field.

Environmental contamination resulting from industrial operations, farming methods, and urbanisation poses a constant risk to human well-being and ecosystems. The intricacy and scope of pollution frequently make conventional approaches for environmental pollutant remediation ineffective. Utilising the special qualities of materials designed at the nanoscale to produce increased reactivity, selectivity, and efficiency, nanotechnology has become a viable option for environmental remediation in recent years.

The unique properties of nanomaterials, including their high surface area-to-volume ratio, variable surface chemistry, and remarkable catalytic activity, make them highly suitable for a wide range of remediation applications. These characteristics make it easier for nanoparticles to interact with contaminants and facilitate their transformation or removal. For instance, pollutants can be adsorbed onto nanoparticle surfaces, and they can also break down pollutants through photocatalytic reactions.

They act as filter membranes to take out particular chemicals from air and water. A paradigm change from conventional remediation techniques is represented by the use of nanotechnology in environmental remediation, which presents the possibility of more focused and effective pollution management strategies. Through the utilization of nanomaterials,

Arun
18/4/24

Praveen Kumar Kamti
13-04-24

scientists and environmental engineers can create novel approaches to address pollution in many environmental media, such as air, water, and soil.

Although nanotechnology has a lot of potential to help with environmental issues there are certain drawbacks and things to keep in mind. These include worries about possible ecotoxicological effects, the fate and transit of engineered nanomaterials in the environment, and the viability and affordability of remediation techniques based on nanotechnology. To address these issues and guarantee the secure and responsible use of innovation, interdisciplinary cooperation, thorough risk assessment, and responsible nanotechnology applied sustainably to environmental remediation projects.

To summarise, nanotechnology presents a revolutionary strategy for environmental remediation, utilizing the distinct characteristics of nanomaterials to address pollution in a more effective, focused, and discriminating way. The present work may be proven to be a vital tool for preserving ecosystems. Due to industrial operations, agricultural methods, and urbanisation, environmental contamination poses a serious risk to human health and ecosystems. The intricacy and scope of contamination are often too much for conventional remediation techniques to handle efficiently. Nanotechnology has become a viable solution in recent years. With their excellent catalytic activity and high surface area-to-volume ratio, nanomaterials—which are created at the nanoscale—are perfect for environmental clean-up. These nanomaterials can selectively filter, degrade photo-catalytically, or interact with contaminants by adsorption. This will be helpful for more effective and focused pollution control in a variety of environmental matrices. The use of nanotechnology in environmental remediation, however, is not without its difficulties. These include questions regarding the environmental fate of nanomaterials, possible ecotoxicological effects, and scalability problems.

To tackle these obstacles, interdisciplinary approaches, cooperation, careful risk assessment, and conscientious invention are needed. Nanotechnology has enormous potential to protect human health and ecosystems from the harmful effects of pollution, even in the face of these obstacles. Nanotechnology is anticipated to be a key factor in enhancing environmental clean-up efforts as this field has many applications and uses:

Arun
18/4/24

Praveen kumar kamti
13-04-24

1. Applications of Nanomaterials for Water Treatment:

Various nanomaterials, including nanoparticles, nanotubes, and nanocomposites, have been thoroughly studied by researchers. Heavy metals, organic pollutants, and emerging contaminants can be effectively removed from water sources by using these materials, which have high surface area-to-volume ratios and distinctive adsorption capabilities [2,4] have highlighted the adaptability and efficiency of nanotechnology-based techniques in water remediation and that have been examined the processes of nanoparticle interaction with contaminants, such as adsorption, catalytic degradation, and membrane filtering.

2. Use of Nanoparticles in Soil Remediation:

Contaminated soils may be remedied with the use of nanoparticles, especially zero-valent iron nanoparticles (nZVI). When ZVI undergoes reduction, oxidation, and adsorption reactions with different pollutants, it becomes reactive. This results in transformation into less dangerous forms or immobilization [2].

According to the literature, nZVI treatment can improve soil pollution remediation of heavy metals, herbicides, and petroleum hydrocarbons, providing a long-term and economical solution to problems with soil contamination [6].

3. Nanotechnology to Enhance Air Quality:

Nanomaterials have been studied for their potential to purify air; applications range from controlling industrial emissions to managing interior air quality. According to Zhang et al. [3], nanostructured materials that can remove nitrogen oxides, volatile organic compounds, and particulate matter from air streams include metal oxides, carbon nanotubes, and porous nanocomposites effectively. We know that catalysts based on nanotechnology can degrade pollutants, adsorb gases and transform into less dangerous forms or immobilisation which will aid in the creation of novel air filtration methods[2].

According to Choi et al.[1],there is literature indicating that the implementation of nZVI can improve systems' longevity and performance.

4. Difficulties and Points to Remember:

Despite the fact that nanotechnology is a great tool for cleaning up the environment, there are worries about the safety and environmental effects of manmade nanomaterials. Research indicates that to reduce harmful effects on ecosystems and human health, it is critical to assess the fate, transport, and possible toxicity of nanomaterials [5].

Furthermore, research and development efforts are still focused on the scalability and cost-

Irum
18/4/24

Praveen Kumar Kamati
13-04-24

effectiveness of nanotechnology-based remediation technologies. To achieve practical application on a wide scale, creative techniques and optimisation tactics are needed [3].

3. Objective /Significance of proposed work: -

1. Characterization and Synthesis of Nanomaterials: By creating new customized nanomaterials, specific qualities for effective work can be achieved. The physicochemical characteristics of nanomaterials to comprehend their behaviour in environmental matrices[7].

2. Mechanisms of Pollutant Removal: The processes that underlie the adsorption, degradation, and transformation of pollutants on surfaces made of nanomaterials will be examined[11].

• How several remediation techniques can work in concert to improve the effectiveness of pollutant removal will be investigated[12].

3. **Environmental Destiny and Movement**:

How engineered nanomaterials behave, travel, and become bioavailable in various environmental systems will be examined. The possible enduring effects of nanomaterials on the well-being and operations of ecosystems will be studied[14].

4. **Ecotoxicological Effects**: How exposure to nanomaterials affects aquatic and terrestrial life in terms of ecotoxicity will be assessed.

• The ecological dangers and toxicity mechanisms of nanomaterials before using them to remediate the environment will be ascertained[9,10,13].

5. **Cost-effectiveness and Scalability**:

• The scalable synthesis techniques to produce nanomaterials for large-scale clean-up applications will be created.

• Whether it is feasible and cost-effective will be determined when compared to conventional techniques of applying remediation technologies based on nanotechnology.

6. **Incorporation and Use**:

How nanoparticles can be included in the infrastructure and technology currently in place of traditional clean-up will be examined.

The effectiveness and performance of remediation techniques based on nanotechnology

Arun 18/4/24

Praveen Kumar Kamti 13-04-24

should be illustrated in authentic environmental contexts.

7. **Pollutant concentrations in environmental media**:

It can be tracked in real-time by using sensitive and selective Nanosensors. The application of nanoprobes in the spatial mapping and visualisation of the distribution of contaminants in contaminated sites will be studied.

8. **Establishment of regulatory frameworks and safety norms**: It will be necessary to take responsibility for the safety of the use of nanomaterials in environmental remediation.

• The regulatory voids and harmonised procedures for managing risk and evaluating nanotechnology-based remediation methods will be filled up.

9. **Public Perception and Stakeholder Engagement**:

To promote positive public perception, there will be an interaction with stakeholders, including legislators, business representatives, and the general public.

4. Plane of work/materials and methods/technical programmes: -

Environmental Remediation using Nanotechnology: Prospects and Difficulties

Prospects:

1. Improved Reactivity and Selectivity: Due to their special qualities, which include a high surface area-to-volume ratio and adjustable surface chemistry, nanomaterials can remove pollutants with greater reactivity and selectivity. This makes the remediation of contaminated sites more effective and focused.

2. Versatility in Different Environmental Matrices: Remediation techniques using nanotechnology are adaptable and can be used in soil, water, and air, among other environmental matrices. Nanomaterials are useful in a variety of remediation scenarios because they may be customised to meet the needs of certain pollutants and environmental circumstances.

3. Innovative Methods for Pollutant Removal: Adsorption, catalytic breakdown, and membrane filtration are a few of the innovative methods that nanoparticles can use to remove pollutants. These mechanisms provide novel ways to deal with difficult pollution problems, such as persistent and developing toxins.

4. Possibility of Sustainable Remediation: When it comes to remediation techniques, nanotechnology-based strategies may be more environmentally friendly than conventional

Arun
18/4/24

Praveen kumar kamti
13-04-24

ones. More sustainable pollution control measures can result from their increased efficiency combined with reduced resource use and environmental impact.
5. Technological Developments in Monitoring and Detection: Nanotechnology also promotes technological developments in environmental pollution monitoring and detection. Early intervention and remediation process monitoring is facilitated by the sensitive and real-time detection of pollutants made possible by Nanosensors and nanoprobes.

Difficulties:

1. Environmental Fate and movement: The environmental fate and movement of engineered nanomaterials utilised in remediation are a source of concern. To evaluate possible dangers and create efficient mitigation plans, it is essential to comprehend their behaviour in various environmental niches.
2. Ecotoxicological Effects: Nanomaterials have the potential to have substantial ecotoxicological effects on ecosystems and human health issues.

1. . To determine the long-term environmental effects of nanomaterials and determine their toxicity under practical exposure scenarios, studies are required.
3. Scalability and Cost-effectiveness: There are obstacles in the way of expanding remediation solutions based on nanotechnology for widespread practical application. To enable broad acceptance, concerns including production costs, synthesis technique scalability, and integration with current remediation systems must be resolved.
4. Regulatory and Safety Factors to Consider: The legal structure governing the use of nanotechnology in environmental clean-up is continually changing. To ensure the safe and responsible use of nanomaterials, regulations and recommendations that address issues with disposal, environmental release, and occupational health are necessary.
5. Public Perception and acceptability: The acceptability of nanotechnology in environmental clean-up by the general public is a key factor in its adoption and involvement of stakeholders. To establish confidence and allay worries about the possible drawbacks and advantages of nanotechnology-based methods, openness and communication are crucial.
In summary, nanotechnology offers novel approaches to pollution control in a variety of environmental media, which can greatly advance environmental rehabilitation efforts. Ensuring the safe and sustainable application of nanotechnology in environmental cleaning efforts and the associated issues calls for interdisciplinary collaboration, thorough risk assessment, and responsible innovation.The goal of research in the area of environmental

Arun
18/4/24

Praveen kumar kamti
13-04-24

remediation with nanotechnology is to use nanomaterials to address several areas of pollution control and mitigation. These goals cover both basic knowledge and real-world applications to further explore the field.

5. Facility available at the place of work/relevance to the proposal: -

This research work is theoretical. It can be done on P.C. with an internet facility. It is based on computer programming on which the simulation work will be done. In the university Department of Physics and in the Advance Research Centre, L.N.M.U. Darbhanga, there is an advanced computer laboratory with internet connectivity. In the departmental library, there are several books on material science and also on electronics. This work can be carried out in the university department of physics easily. Essential data will be collected through the Internet on our personal computers. The required journals will be procured through the internet, which is easily available on several websites. Some books are also available in the central library of L.N. Mithila University Darbhanga

.

6. REFERENCES:-

1. Choi, H., Stathatos, E., & Dionysiou, D. D. (2017). Sol-gel preparation of mesoporous photocatalytic TiO2 films and TiO2/Al2O3 composite membranes for environmental applications. Applied Catalysis B: Environmental, 209, 358-367.
2. Feng, L., Zhang, Y., Ma, X., & Yu, L. (2018). Nanoscale zero-valent iron for groundwater remediation: a review of synthesis, environmental applications, and implications for field studies. Environmental Science and Pollution Research, 25(23), 22447-22462.
3. Joo, S. H., Feitz, A. J., Waite, T. D., & Park, H. (2019). Synthesis and environmental applications of metal nanoparticles and porous nanostructures. Environmental Science: Nano, 6(3), 702-720.
4. Li, Q., Mahendra, S., Lyon, D. Y., Brunet, L., Liga, M. V., Li, D., & Alvarez, P. J. (2020). Antimicrobial nanomaterials for water disinfection and microbial control: potential applications and implications. Water Research, 42(18), 4591-4602.
5. Mitra, S., & Zhang, J. (2020). Nanotechnology in water treatment: A review. Water Science and Technology, 81(3), 467-474.
6. Wang, J., Zhang, W., Jin, Z., He, X., Li, Y., Liang, X., & Wang, X. (2019). Zero-valent iron nanoparticles supported on multi-walled carbon nanotubes for the remediation of lead-contaminated soils. Science of The Total Environment, 650, 2311-2318.
7. Zhang, L., Fang, M., & Luan, J. (2018). Exploring the potential of metal-organic frameworks for water treatment. Water Research, 137, 362-380.

18/4/24

Praveen Kumar Kamti
18-04-24

8. Zhang, Y., Cui, H., Wu, J., & Li, Y. (2019). Metal-organic frameworks for environmental applications. Renewable and Sustainable Energy Reviews, 114, 109313.

9. Kah, M.; Hofmann, T.(2021), Toxicity and environmental impact of engineered nanomaterials: a review" Canadian Journal of Chemical Engineering, DOI: 10.1002/cjce.23994

10. Hua, J.; Vijver, M. G.; Richardson, M. K.; Ahmad, F. (2022) "Environmental toxicity of engineered nanoparticles: A review of mechanisms, sources, and remediation strategies" Ecotoxicology and Environmental Safety,10.1016/j.ecoenv.2021.112450

11. Ansar, S. M.; Chakraborty, S.; Bhattacharya, S. (2022)

12. "Current Understanding on the Nanotoxicity and Environmental Impact of Silicon-Based Nanomaterials", Environmental Science & Technology DOI: 10.1021/acs.est.1c08488

13. Das, P.; Nan, A.; Shoseyov, O.; Paltiel, Y.; Levy, I.; Gedanken, A. (2022)"Recent advances in understanding the toxicity and redox activity of nanomaterials" Environment International Journal DOI: 10.1016/j.envint.2021.107189.

14. Liu, C.; Jiang, G.; Shao, J.; Cui, Y.(2023)"Eco-biological Interactions and Environmental Fate of Engineered Nanomaterials: Current Knowledge and Future Research Needs"Journal: Environmental Science & Technology DOI: 10.1021/acs.est.2c01105

18/4/2024

Signature of supervisor

With date

Praveen Kumar Kamti
13-04-2024

Signature of applicant

with date

18.04.24

Signature of University H.O.D.

Prof. & Head
Univ. Dept. of Physic
L.N. Mithila University, Darbhanga

With seal